

DORABLEACH THM

DORABLEACH THM pamuk ve bunların karışımlarından ağartma işlemi ile kullanılmak üzere geliştirilmiştir.

KARAKTERİSTİKLER

Kimyasal içerik :Özel olarak seçilmiş yüzey aktif malzemelerve inorganik tuzların karışımı.

Görünüş : Sarımsı hafif yapışkan sıvı
PH : $1,5 \pm 0,5$
İyonite : ,Anyonik-Noniyonik
Çözünürlük : Su ile her oranda kolayca karışır.

KULLANIM ALANLARI ve ŞEKLİ

Kasar banyosunda kumaşı seri biçimde ıslatarak ağartıcıların pamuğun bünyesine girişini sağlar.

Köpüğü kontrollü ,çevre dostudur,

Sadece kostik ve peroksitle kullanılır.

Discontinuous bleaching process

DORABLEACH THM : 0,7 -1,5 g/l

NaOH (48 be) : 2,0 -4,0 g/l

Hydrogen peroxide 50% : 2,0 -6,0 g/l

Discontinuous bleaching process

DORABLEACK THM : 1,0 -1,5 g/l

NaOH (48 be) : 1,0 -3,0 g/l

PAD-BATCH bleaching process

DORABLEACH THM : 4,0 -8,0 g/l

NaOH (48 be) : 25 -40 g/l

Hydrogen peroxide 50% : 25 -60 g/l

SAKLAMA KOŞULLARI

Sıcak ve soğuktan korunduğunda orijinal ambalajında en az 6 ay özelliklerini muhafaza eder.